

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS-PR&RD Deptt., - Sri Ch.Suryanarayana, MEO (AE), PR, Pedapudi (M), East Godavari District – Failed to obtain prior permission from the competent authority for purchase/acquiring assets, taking bank loans in his name and in the name of his wife, in the name of his dependents and failed to file APRs – Disciplinary action initiated – Appointment of Enquiry Officer –Change of Enquiry Officer – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT(VIG.I) DEPARTMENT

G.O.RT.No. 453

Dated.06.05.2015.

Read the following:-

- 1.G.O.Rt.No.873, PR&RD (Vig.II) Deptt., dt.10.06.2011.
- 2.From the ENC, PR, Hyd., Lr.No.Vig.II(2)/9621/2007, dt.9.2.2015.

ORDER:

In the GO 1st read above, orders were issued appointing Sri C.Satyanarayana, I/c Chief Engineer, Panchayat Raj, as Enquiry Officer under Rule 20 (2) of Andhra Pradesh Civil Services (CC&A) Rules, 1991 to conduct departmental enquiry against Sri Ch.Suryanarayana, Mandal Engineering Officer (AE), Panchayat Raj, Pedapudi Mandal, East Godavari District for the charges framed against him and appointed the Superintending Engineer, Panchayat Raj, Kakinada as Presenting Officer, to present the case before the Enquiry Officer under Rule 20(5) (C) of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

2. In the reference 2nd read above, the Engineer in Chief, Panchayat Raj, Hyderabad, has reported that Sri C.Satyanarayana, Chief Engineer and Enquiry Officer was allotted to Telangana State during the bifurcation of the State. Hence, he has requested to issue orders duly changing the enquiry officer and appoint Sri R.Venkateswara Rao, Chief Engineer (PR) who is working in Andhra Pradesh State as Enquiry Officer instead of Sri C.Satyanarayana, I/c Chief Engineer, to conduct the detailed enquiry against Sri Ch.Suryanarayana the then Mandal Engineering Officer, Pedapudi (M) East Godavari District for failing to file Annual Property Returns before disciplinary authority.

3. Accordingly, Government hereby appoint Sri R.Venkateswara Rao, Chief Engineer (PR) O/o Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad, as Enquiry Officer, under Rule 20(2) of Andhra Pradesh Civil Services(CC&A) Rules, 1991, he is also requested to take up the inquiry from where it was left over and also obtain the records etc., from the earlier Enquiry Officer i.e., Sri C.Satyanarayana, Chief Engineer, Panchayat Raj, Telangana State.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

To

Sri R.Venkateswara Rao, Chief Engineer (PR) O/o Engineer in
Chief, Panchayat Raj, Andhra Pradesh, Hyderabad,(EO)
The Superintending Engineer, Panchayat Raj, Kakinada.(PO)
The individual **through** the Engineer in Chief, Panchayat Raj,
Andhra Pradesh, Hyderabad,

Copy to:

The Engineer in Chief, Panchayat Raj, Andhra Pradesh,
Hyderabad, (with a request to serve the
copies of this order to the CO)

Sf/Sc.

//FORWARDED::BY::ORDER//

SECTION OFFICER